

Economic Feasibility of Green Ammonia Use in India's Fertiliser Sector

Karan Kothadiya, Hemant Mallya, and Deepak Yadav

Report | September 2024





Open access. Some rights reserved. This work is licensed under the Creative Commons Attribution-Noncommercial 4.0. International (CC BY-NC 4.0) license. To view the full license, visit: www.creativecommons.org/licenses/by-nc/4.0/legalcode.

Suggested citation:	Kothadiya, Karan, Hemant Mallya, and Deepak Yadav. 2024. <i>Economic Feasibility of Green Ammonia Use in India's Fertiliser Sector</i> . New Delhi: Council of Energy, Environment and Water.
Disclaimer:	The views expressed in this report are those of the authors and do not reflect the views and policies of the Council on Energy, Environment and Water or the Indo-German Energy Forum Support Office (IGEF-SO).
Cover image:	iStock.
Peer reviewers:	Dr Sachchida Nand, former Additional Director General, Fertiliser Association of India; M Sagar Mathews, former Director (Technical), National Fertilizers Ltd. and former Director (Technical), Madras Fertilizers Ltd; and Sathes Kumar Kanagaraj, Programme Associate, CEEW.
Publication team:	Kartikeya Jain (CEEW); Alina Sen (CEEW); The Clean Copy; Madre Designs; and Friends Digital Colour Solutions.
Commissioned by:	Indo-German Energy Forum Support Office (IGEF-SO) c/o Deutsche Gesellschaft für Internationale Zusammenarbeit 1st floor, B-5/2, Safdarjung Enclave, 110029, New Delhi, India Email: info@energyforum.in , Website: www.energyforum.in , Tel: +91 11 4949 5353
Acknowledgement:	<p>The authors of this report would like to express their gratitude to Rolf Behrndt, Senior Hydrogen Expert; Krushna Kaant Gupta, Energy Advisor, GIZ India; and Kumar Abhishek, Energy Advisor, IGEF-SO for supporting this study.</p> <p>The authors would like to express their gratitude to Philipp Veh, Consultant, Perspectives Climate Group; Rishabh Patidar, Research Analyst, CEEW; Hemant Prakash Singh, Research Analyst, CEEW; Ribhav Pal, Consultant, CEEW; and Sabarish Elango, Programme Associate, CEEW, for their contributions to the study.</p>
Organisations:	<p>The Council on Energy, Environment and Water (CEEW) is one of Asia's leading not-for-profit policy research institutions and among the world's top climate think tanks. The Council uses data, integrated analysis, and strategic outreach to explain — and change — the use, reuse, and misuse of resources. The Council addresses pressing global challenges through an integrated and internationally focused approach. It prides itself on the independence of its high-quality research, develops partnerships with public and private institutions, and engages with the wider public. CEEW has a footprint in over 20 Indian states and has repeatedly featured among the world's best-managed and independent think tanks. Follow us on X (formerly Twitter) @CEEWIndia for the latest updates.</p> <p>The International Power-to-X Hub is implemented by the Deutsche Gesellschaft für Internationale Zusammenarbeit (GIZ) GmbH on behalf of the German Federal Ministry for Economic Affairs and Climate Action (BMWK). Financed by the International Climate Initiative (Internationale Klimaschutzinitiative, IKI), the International PtX Hub is a contribution to the German National Hydrogen Strategy of 2020 and represents one of the four pillars of the BMUV's PtX action programme initiated in 2019. It is a centre of expertise and collaboration for innovative and sustainable green hydrogen and Power-to-X value chains. The PtX Hub builds and fosters strong networks with industry, academia, administrations, and civil society with hubs in Africa, Asia, Europe, and Latin America. For more information, visit www.ptx-hub.org</p> <p>The Indo-German Energy Forum (IGEF) was established to enhance and deepen the strategic political dialogue about the ongoing energy transition in India and Germany by the German Chancellor and the Prime Minister of India in April 2006. Strategic cooperation projects between the German and Indian governments, research institutions and the private sector are the major objectives of the IGEF. The focus areas of this high-level bilateral forum are energy efficiency, renewable energy, energy security, investment in energy projects as well as collaborative research and development, taking into account environmental and social challenges of sustainable development.</p>

Council on Energy, Environment and Water (CEEW)

ISID Campus, 4 Vasant Kunj Institutional Area,
New Delhi – 110070, India
T: +91 (0) 11 4073 3300



Economic Feasibility of Green Ammonia Use in India's Fertiliser Sector

Karan Kothadiya, Hemant Mallya, and Deepak Yadav

Report
September 2024
ceew.in

About CEEW

The [Council on Energy, Environment and Water \(CEEW\)](#) is one of Asia's leading not-for-profit policy research institutions and among the world's top climate think tanks. The Council uses **data, integrated analysis, and strategic outreach to explain – and change – the use, reuse, and misuse of resources**. The Council addresses pressing global challenges through an integrated and internationally focused approach. It prides itself on the independence of its high-quality research, develops partnerships with public and private institutions, and engages with the wider public. [CEEW is a strategic/ knowledge partner to 11 ministries for India's G20 presidency](#).

The Council's illustrious Board comprises Mr Jamshyd Godrej (Chairperson), Mr S. Ramadorai, Mr Montek Singh Ahluwalia, Dr Naushad Forbes, and Dr Janmejaya Sinha. The 330+ strong executive team is led by [Dr Arunabha Ghosh](#). CEEW has repeatedly featured among the world's best managed and independent think tanks.

In over 14 years of operations, The Council has engaged in over 450 research projects, published 440+ peer-reviewed books, policy reports and papers, created 190+ databases or improved access to data, advised governments around the world 1400+ times, promoted bilateral and multilateral initiatives on 130+ occasions, and organised 590+ seminars and conferences. In July 2019, Minister Dharmendra Pradhan and Dr Fatih Birol (IEA) launched the [CEEW Centre for Energy Finance](#). In August 2020, [Powering Livelihoods](#) – a CEEW and Villgro initiative for rural start-ups – was launched by Minister Piyush Goyal, Dr Rajiv Kumar (then NITI Aayog), and H.E. Ms Damilola Ogunbiyi (SEforAll).

The Council's major contributions include: [Informing India's net-zero goals](#); work for the PMO on [accelerated targets for renewables](#), power sector reforms, environmental clearances, *Swachh Bharat*; [pathbreaking work for India's G20 presidency, the Paris Agreement, the HFC deal](#), the aviation emissions agreement, and international climate technology cooperation; the first independent evaluation of the *National Solar Mission*; India's first report on global governance, submitted to the National Security Advisor; support to [the National Green Hydrogen and Green Steel Missions](#); the 584-page *National Water Resources Framework Study* for India's 12th Five Year Plan; irrigation reform for Bihar; the birth of the Clean Energy Access Network; the concept and strategy for the International Solar Alliance (ISA); the Common Risk Mitigation Mechanism (CRMM); India's largest multidimensional energy access survey (ACCESS); [critical minerals for Make in India](#); India's climate geoengineering governance; analysing energy transition in emerging economies, including Indonesia, South Africa, Sri Lanka, and Viet Nam. CEEW published [Jobs, Growth and Sustainability: A New Social Contract for India's Recovery](#), the first economic recovery report by a think tank during the COVID-19 pandemic.

The Council's current initiatives include: State-level modelling for energy and climate policies; consumer-centric smart metering transition and wholesale power market reforms; [modelling carbon markets](#); piloting business models for solar rooftop adoption; fleet electrification and developing low-emission zones across cities; [assessing green jobs potential at the state-level](#), circular economy of solar supply chains and wastewater; assessing carbon pricing mechanisms and India's carbon capture, usage and storage (CCUS) potential; [developing a first-of-its-kind Climate Risk Atlas for India](#); sustainable cooling solutions; developing state-specific dairy sector roadmaps; supporting India's electric vehicle and battery ambitions; and [enhancing global action for clean air via a global commission 'Our Common Air'](#).

The Council has a footprint in over 20 Indian states, working extensively with 15 state governments and grassroots NGOs. Some of these engagements include supporting [power sector reforms in Uttar Pradesh, Rajasthan, and Haryana](#); energy policy in Rajasthan, Jharkhand, and Uttarakhand; driving low-carbon transitions in Bihar, Maharashtra, and Tamil Nadu; promoting [sustainable livelihoods in Odisha, Bihar, and Uttar Pradesh](#); advancing [industrial sustainability in Tamil Nadu, Uttar Pradesh, and Gujarat](#); evaluating community-based [natural farming in Andhra Pradesh](#); and supporting groundwater management, e-auto adoption and examining [crop residue burning in Punjab](#).

Contents

Executive summary	1
1. Introduction	5
1.1. Background	6
1.2. Trends in the Indian fertiliser sector	8
1.3. Green hydrogen's role in decarbonising India's fertiliser industry	11
2. Ammonia requirement in India's fertiliser sector	11
3. Cost of grey ammonia for the Indian fertiliser industry	14
3.1. The supply structure and pricing mechanisms for natural gas delivered to fertiliser units	14
4. Financial implications for blending green ammonia	16
4.1. Blending premise for the estimation of the incremental cost of green ammonia	16
4.2. Challenges with blending green ammonia in the urea production process	17
4.3. Incremental cost of green ammonia for urea production	18
4.4. Incremental cost of green ammonia for the production of non-urea fertilisers	20
4.5. Financial implications of green ammonia blending on government subsidies	22
5. The emissions mitigation potential of green ammonia	23
6. Policy recommendations	25
6.1. Prioritise the transition of non-urea fertilisers for green ammonia blending	25
6.2. Reduce the cost of capital for green hydrogen and green ammonia infrastructure	25
6.3. Include the fertiliser sector in the Indian Carbon Market	26
6.4. Investigate pathways to utilise green ammonia in nitrogen delivery to crops	26
7. Conclusion	27
Acronyms	27
References	28
The authors	31



Domestically produced green ammonia can decarbonise India's fertiliser industry and propel it towards self-reliance.

Image: iStock

Executive summary

Following the Green Revolution in India, chemical fertilisers have played a pivotal role in increasing farm outputs, securing the food supply, and generating surplus production for exports, along with the other measures undertaken (Nelson, Ravichandran, and Antony 2019). During the manufacturing process of these fertilisers, ammonia (NH_3) is used as an intermediary to provide the nitrogenous content. We estimate that India consumes around 17 to 19 million metric tonnes per annum (MTPA) of ammonia for the production of fertilisers such as urea, diammonium phosphate (DAP), and other complex fertilisers (OCFs). In addition, India also indirectly consumes ammonia embedded in fertiliser imports, estimated to be 6.3 million metric tonnes (MT) in the financial year (FY) 2022–23.

All the ammonia produced and used in India currently is grey ammonia, derived from reforming natural gas. This is problematic as the use of grey ammonia leads to significant greenhouse gas emissions, particularly carbon dioxide (CO_2). The total emissions from ammonia production were estimated to be around 25 MTPA of carbon dioxide equivalents (CO_2eq) in FY 2022–23 (Patidar, et al. 2024). Secondly, India is currently dependent on imports of natural gas and ammonia to produce fertilisers. We estimate that around 86 per cent of the ammonia requirement in FY 2022–23 was reliant on imports.¹ This dependency on imports renders the fertiliser and agricultural sectors vulnerable to economic and geopolitical risks and makes the Indian economy vulnerable to forex outflow.

Green ammonia, derived from green hydrogen, produced through the electrolysis of water using renewable electricity, is a potential remedy for both these problems. The use of indigenously produced green ammonia will help drive the Indian fertiliser industry's self-sufficiency and decarbonisation. However, the financial premium associated with a complete transition from grey to green ammonia is exorbitantly high. The high cost of fertilisers produced using green ammonia may make them untenable for farmers without further increasing subsidies, putting additional pressure on the government's already stressed subsidy expenditure. In 2022–23 alone, the central government spent

INR 2,51,340 crore (~USD 31 billion) on fertiliser subsidies (Ministry of Finance 2024). **The government must aim to strategically direct the introduction of green ammonia in the fertiliser industry with an incremental blending approach in the short term and structurally reduce the levelised cost of green ammonia in the long term to allay this financial premium.**

In this report, we estimate the financial requirements for India's fertiliser sector to transition to green ammonia adoption across multiple scenarios, with the goal of identifying low-hanging opportunities, understanding imperatives, and preparing a trajectory for adoption.

A. Current landscape of ammonia usage in India's fertiliser sector

Fertiliser products in India vary significantly in terms of the volume of consumption, subsidy structures, input costs, and process and supply chain flows. Understanding these structural nuances and the ammonia requirements for the product mix in this context is critical to our analysis.

- In FY 2022–23, India produced 28.5 MT of urea, which **accounted for 68 per cent of the fertiliser production in India**, and 13.6 MT of non-urea fertilisers, including DAP and OCFs (The Fertiliser Association of India 2023b). Further, India imported 9.3 MT of urea and 7.6 MT of non-urea fertilisers (The Fertiliser Association of India 2023b). Urea accounts for an outsized share of the total ammonia requirement, amounting to around 84 per cent, due to higher production volumes and the higher specific consumption of ammonia in urea production compared to non-urea fertilisers.
- **All urea production units in India produce ammonia in-house** by reforming natural gas. However, the **production of non-urea fertilisers largely relies on imported ammonia**, estimated to account for 79 per cent to 89 per cent of their ammonia requirement.

Cost differences in grey ammonia use imply varying financial impacts of a green ammonia transition for urea and non-urea fertilisers.

¹ This estimation aggregates the volume of ammonia imported for fertiliser production in India, the volume of ammonia indirectly imported in the form of imported fertiliser end products, and the volume of ammonia produced in India by reforming imported natural gas.

- **Urea is a price-controlled product** for farmers in India. The subsidy on urea is paid to fertiliser companies based on the differences between the market price set by the government and the cost of production, which is defined by set norms. **Non-urea fertilisers, however, are not price-controlled. They garner subsidies based on the nutrient content** of each grade of fertiliser. In FY 2022–23, the subsidy for urea amounted to INR 1,65,217 crore (~USD 20 billion), whereas the subsidy for non-urea fertilisers amounted to INR 86,122 crore (~USD 10.5 billion) (Ministry of Finance 2024).

The worsening N:P:K ratio in fertiliser consumption, the large and rising subsidy on fertilisers, and efforts to promote organic and alternative fertilisers and improve nutrient uptake efficiency are key trends in the sector. We presume that these trends will translate to a muted long-term growth potential for urea but offer a decent growth potential for organic and alternative chemical fertilisers.

B. Baseline cost of grey ammonia

We estimate the baseline costs of grey ammonia, along with the landed cost of imported ammonia for non-urea fertilisers. Based on the input costs, we estimate the following:

- The cost of grey ammonia ranged from USD 197 to USD 510 per tonne of ammonia for urea production between FY 2019–20 and FY 2022–23.
- The corresponding figure for non-urea production ranged from USD 287 to USD 919 per tonne of ammonia, higher by a wide range of 12 per cent to 55 per cent than that for urea production. This difference is attributable to higher input costs for non-urea fertiliser production, in terms of the cost of imported ammonia and imported liquefied natural gas (LNG).

The difference in grey ammonia costs for urea and non-urea fertiliser production implies that the financial premiums associated with a transition to green ammonia use will also be different. It is important to note that grey ammonia costs reflect the price volatility in the period considered due to the supply chain disruptions caused by the pandemic and geopolitical events. Similar episodes in the future may pose risks to India's fertiliser sector.

C. Key findings

While green ammonia can be a fungible replacement for grey ammonia in non-urea fertiliser production, the technical proof-of-concept of blending green ammonia in urea production has not been demonstrated. In this report, however, we focus mainly on the financial implications of green ammonia adoption while briefly discussing the technical challenges.

We calculated the incremental cost of blended ammonia over a range of parameters such as the cost of green ammonia (USD 500 to USD 1,100 per tonne), the cost of grey ammonia (USD 200 to USD 600 per tonne), the landed cost of natural gas (USD 6 to USD 15 per million metric British thermal units (MMBtu)), and the proportion of green ammonia blended (5 per cent to 50 per cent). Given the volatility of commodity prices, it is important to note that there is a range of possible outcomes, as illustrated in Table ES1 and Table ES2.

- **The total incremental cost of using a 10 per cent blend of green ammonia for urea production could amount to INR 6,286 crore (~USD 785 million)** at a full-capacity production of 28.3 MTPA, assuming the levelised cost of green ammonia to be USD 700 per tonne against a delivered price of USD 9 per MMBtu for natural gas.
- **The ammonia cost would rise by 17 per cent under these parameters.** This translates to a corresponding increase of INR 2.22 per kg (~USD 0.03) in urea production cost, which ranged between INR 15 (~USD 0.2) to INR 25 (~USD 0.3) per kg between FY 2019–20 and FY 2022–23 as per our estimates. Urea was effectively sold to farmers at INR 5.36 per kg (~USD 0.07) (Department of Fertilizers 2024b).
- Green ammonia blending in urea production necessitates the additional procurement of CO₂, which is factored into the cost of blending.

The government should strategically guide green ammonia adoption: prioritise blending in the short term and structural cost reduction in the long term.

Table ES1 Sensitivities to the incremental cost of blended ammonia used in urea production at the full capacity of 28.3 MTPA (INR crore)

Green ammonia blend (%)		5	10	25	50	5	10	25	50
Levelised cost of green ammonia (USD/tonne)	Delivered cost of natural gas (USD/MMBtu)	Base-case CO ₂ cost: USD 65 per tonne of CO ₂				Aggressive-case CO ₂ cost: USD 25 per tonne of CO ₂			
		Incremental cost of green ammonia blending (INR crore)							
500	15	690	1,381	3,451	6,903	362	723	1,808	3,617
	12	1,275	2,550	6,375	12,751	946	1,893	4,732	9,464
	9	1,860	3,720	9,299	18,598	1,531	3,062	7,656	15,312
	6	2,445	4,889	12,223	24,446	2,116	4,232	10,580	21,160
700	15	1,973	3,946	9,866	19,732	1,645	3,289	8,223	16,446
	12	2,558	5,116	12,790	25,580	2,229	4,459	11,147	22,294
	9	3,143	6,286	15,714	31,428	2,814	5,628	14,071	28,141
	6	3,728	7,455	18,638	37,275	3,399	6,798	16,995	33,989
900	15	3,256	6,512	16,281	32,562	2,928	5,855	14,638	29,275
	12	3,841	7,682	19,205	38,409	3,512	7,025	17,562	35,123
	9	4,426	8,851	22,128	44,257	4,097	8,194	20,485	40,971
	6	5,010	10,021	25,052	50,105	4,682	9,364	23,409	46,818
1100	15	4,539	9,078	22,695	45,391	4,210	8,421	21,052	42,105
	12	5,124	10,248	25,619	51,239	4,795	9,590	23,976	47,952
	9	5,709	11,417	28,543	57,086	5,380	10,760	26,900	53,800
	6	6,293	12,587	31,467	62,934	5,965	11,930	29,824	59,648

■ Low premium ■ High premium

Source: Authors' analysis

Note: The cell shaded in green denotes an anchor value for the reference provided in text.

- For non-urea fertiliser production, **the total incremental cost of ammonia could amount to INR 684 crore (~USD 85 million) for a similar 10 per cent blend** at an average production level for FY 2019–20 to 2022–23, assuming the levelised cost of green ammonia to be USD 700 per tonne against a levelised cost of USD 400 per tonne for grey ammonia.
- The cost of ammonia would only rise by 8 per cent for these parameters, compared to 17 per cent for urea.** This amounts to an incremental cost of INR 0.54 (~USD 0.007) per kg of fertiliser end product, compared to a market price ranging between INR 20 and INR 47 per kg (~USD 0.2–0.6) (Department of Fertilizers 2024b).

Table ES2 Sensitivities to the incremental cost of hydrogen are tempered for the production of non-urea fertilisers

Green ammonia blend (%)		5	10	25	50	100
Levelised cost of green ammonia (USD/tonne)	Cost of grey ammonia (USD/tonne)	Incremental cost of green ammonia at full production volume (INR crore)				
500	600	-114	-228	-570	-1,140	-2,280
	400	114	228	570	1,140	2,280
	200	342	684	1,710	3,420	6,840
700	600	114	228	570	1,140	2,280
	400	342	684	1,710	3,420	6,840
	200	570	1,140	2,850	5,700	11,400
900	600	342	684	1,710	3,420	6,840
	400	570	1,140	2,850	5,700	11,400
	200	798	1,596	3,990	7,980	15,960
1100	600	570	1,140	2,850	5,700	11,400
	400	798	1,596	3,990	7,980	15,960
	200	1,026	2,052	5,130	10,260	20,520

Low premium High premium

Source: Authors' analysis

Note: The cell shaded in green denotes an anchor value for the reference provided in text.

Evidently, 100 per cent green ammonia in fertiliser production in India **will impose exorbitant costs at the current economics**, even for non-urea fertilisers. An incremental approach, starting with a 5 to 10 per cent blend can cushion the impact on the sector's financials.

The incremental cost of green ammonia blending for non-urea fertilisers is much lower than the corresponding cost for urea. If the government were to bear the whole incremental cost of blending 10 per cent green ammonia at USD 700 per tonne of ammonia, it would add 3 per cent to 14 per cent (INR 3,535 to INR 6,541 crore) to the subsidy for the domestic production of urea (INR 43,050 to INR 1,25,270 crore) between FY 2019–20 and FY 2022–23, but the additional burden on the subsidy for non-urea fertilisers would be under 6 per cent (below INR 974 crore) over the total subsidy for the domestic production of non-urea fertilisers (INR 15,906 to INR 50,090 crore). In FY 2022–23, geopolitical disturbances led to a sharp rise in grey ammonia costs. Resultantly, we estimate a potential net gain of INR 505 crore with the use of 10 per cent green ammonia in non-urea fertilisers in that year.

Reducing the levelised cost of green ammonia by providing low-cost capital or grants is an important imperative. We estimate that a 23 per cent reduction in the levelised cost of ammonia can be achieved with a 5 percentage point reduction in the capital cost.

Using only green ammonia in the Indian fertiliser industry can reduce CO₂eq emissions by more than 32 MTPA as per our analysis. The cost of this mitigation would vary with the difference between green and grey ammonia costs. For urea production, the mitigation cost can range between USD (–10) per tonne of CO₂, signifying a net gain, to USD 232 per tonne of CO₂ depending on the difference between green and grey ammonia costs, which can range from green ammonia being cheaper by USD 100 to grey ammonia being cheaper by USD 300 per tonne. For the same difference in the costs of green and grey ammonia, the cost of CO₂ mitigation is lower for non-urea fertiliser production, as there is no cost associated with procuring CO₂ as a feedstock. The mitigation cost ranges between a net gain of USD 60 to a cost USD 180 per tonne of CO₂.

D. Policy recommendations

The annual cost of blending green ammonia in India's fertiliser industry, even up to 10 per cent, can range between INR 1,000 to INR 12,000 crore (~USD 125 to USD 1450 million). If the Indian government bears this cost to catalyse green ammonia adoption, the impact on expenditure will be non-trivial. Hence, the introduction of green ammonia requires a calibrated and systematic approach, which factors in the structure of the industry and the differences in emissions mitigation costs between urea and non-urea fertiliser products. We suggest the following policy recommendations to ease this transition:

- **Prioritise the transition of non-urea fertilisers to green ammonia use.** The green premium is lower for non-urea products than for urea. Moreover, the technical requirements for blending are also much simpler. Green ammonia can be a fungible replacement for the imported ammonia used in non-urea fertiliser production. The government could facilitate this transition through mandates and incentives for green fertiliser use.
- **Reduce the capital cost for green hydrogen assets** through the provision of low-cost capital or grants to reduce the levelised cost of green ammonia. Capital expenditure by the government for these measures will enable a consequent reduction in revenue expenditure in the form of subsidies.
- **Develop administrative frameworks allowing the fertiliser industry to earn through carbon credits.** As the industry can utilise captured CO₂ from other industries in addition to mitigating its own emissions with green ammonia blending, it must be allowed to issue carbon credits and earn revenue through them. To prepare the sector to leverage carbon markets, we recommend that the government define a monitoring, reporting, verification, and certification framework in addition to the institutional measures under the *Detailed Procedure for Compliance Mechanism* under the *Carbon Credits Trading Scheme* (Bureau of Energy Efficiency 2023) and institute an exchange to facilitate trading of credits.
- **Investigate pathways to introduce green ammonia in nitrogen delivery to crops.** Firstly, alternatives to urea, such as ammonium sulphate or ammonium phosphate, could be promoted, by offering attractive incentives for farmers. Secondly, the technical parameters of blending green ammonia or green hydrogen in urea production must be investigated through a pilot project to demonstrate proof of concept.

These measures will be instrumental in promoting green ammonia adoption, which will reduce the import dependence of the fertiliser sector, and secure its energy needs, in addition to the primary objective of decarbonising the industry.

1. Introduction

The use of chemical fertilisers has been instrumental in bringing India out of the grip of frequent famines and setting it on the path towards food sufficiency. Along with the introduction of high-yielding varieties of seeds, mechanised agricultural practices, irrigation equipment, and pesticides by the Green Revolution in the 1960s, chemical fertilisers have played a pivotal role in increasing farm outputs, securing the food supply, and generating surplus production for exports. India produces sufficient key food grains – wheat and rice – to meet the domestic demand of its large population while also being the largest exporter of rice in the world (US Department of Agriculture n.d.).

As the agricultural sector is a cornerstone of the Indian economy, use of fertilisers poses an indirect bearing on livelihoods in addition to the agricultural output. Beyond the economic contribution of the agricultural sector to India's gross value addition, which stood at 18.3 per cent in the financial year (FY) 2022–23 (Ministry of Agriculture & Farmers Welfare 2023b), it employs around 54 per cent of the Indian workforce (Ministry of Agriculture & Farmers Welfare 2022).

Production of chemical fertilisers leads to greenhouse gas emissions, attributed to the energy consumption in the production process and to the use of ammonia as an intermediary. The ammonia produced and consumed in India for fertiliser production relies on reforming natural gas, which emits carbon dioxide (CO₂) as a by-product. In addition to this, it imposes import dependency for natural gas on India. We explore how green ammonia can tackle both these issues and what are the premiums associated with its use in this report.

While vital for India's farm outputs, chemical fertilisers cause significant GHG emissions and create import dependency.

1.1 Background


The consumption of fertilisers (Figure 1) that provide major nutrients such as nitrogen (N), phosphorous (P), and potassium (K) grew tremendously from the 1980s onwards, reaching stable levels since 2010. Urea, diammonium phosphate (DAP), and various grades of other complex fertilisers (OCFs) are the main products that deliver these nutrients to farmlands. Over the decade from 2011–12 to 2021–22, the N:P:K ratio in fertiliser consumption became skewed, changing from 4.7:2.3:1 to 7.8:3.1:1 (Nelson, Ravichandran, and Antony 2019), indicating a disproportionate growth in nitrogenous fertiliser consumption.

The growth in fertiliser consumption in India has been heavily aided by the government's support in the form of subsidies, both for indigenously produced fertilisers as well as for imported fertilisers. The subsidy for the fertiliser sector accounted for INR 251,340 crore (~USD 31 billion) for FY 2022–23 (Ministry of Finance 2024). This makes the fertiliser sector the second largest sector in terms of subsidies received. In addition, the sector also received support from the government as it was guaranteed procurement of cheaper domestic gas that was reserved for it.

Production and imports of fertilisers in India

India has 36 urea manufacturing units and 20 large manufacturing units that can produce NPK fertilisers (The Fertiliser Association of India 2023a). Urea, which primarily delivers nitrogenous content to the soil, is the most important fertiliser in the Indian context. The production of urea, which is at near full capacity (Figure 2), accounts for around 65 per cent of total fertiliser production in India, amounting to an annual production of around 28.5 million metric tonnes (MT) per annum (MTPA) (The Fertiliser Association of India 2023b). Between 2020 and 2022, India augmented its urea production capacity by setting up two new units and reviving three discontinued units, with one more unit under revival scheduled for completion in 2024 (The Fertiliser Association of India 2023b). India's imports of urea have historically fluctuated around a level of 8 MTPA (Figure 3). However, it aims to reduce this dependence with the aforementioned augmented capacity as well as through the promotion of alternative nitrogen-delivery pathways like nano-urea (Ministry of Chemicals and Fertilizers 2023b).

Figure 1 Consumption of (N, P, K) fertilisers in India has grown ~4.9 times over 40 years




Source: Nelson, Ravichandran, and Antony (2019), The Fertiliser Association of India (2022)

Other chemical fertilisers are critical for providing farms with nutrients such as potassium, phosphorus, and sulphur. This includes NP/NPK fertilisers, including DAP and OCFs of various grades. Production of such non-urea fertilisers in India in 2022–23 stood at 13.6 MT, less than half that of urea. We restrict our analysis to nitrogen-containing complex fertilisers within the non-urea

group as other fertilisers do not consume ammonia as an intermediary. Imports constitute a larger proportion of the total consumption for non-urea fertilisers than for urea. The share of imported non-urea fertilisers in total consumption for the category in 2022–23 was around 40 per cent, much higher compared to 21 per cent for urea in the same period.

Figure 2 Production volumes of fertilisers in India have been stagnant in the historical mid-term period



Source: The Fertiliser Association of India (2023b)

Note: *Non-urea fertilisers include all NP/NPK fertilisers, including diammonium phosphate (DAP) and other complex fertilisers (OCFs)

Figure 3 Imports of non-urea fertilisers in India grew at a steady decadal 4.3% compounded annual growth rate to 9.3 MTPA in 2022–23.



Source: The Fertiliser Association of India (2023b)

1.2 Trends in the Indian fertiliser sector


The worsening N:P:K ratio in fertiliser consumption due to overuse of nitrogenous fertilisers—predominantly urea—the large and rising government expenditure on fertiliser subsidies, efforts to promote organic and alternative fertilisers and improve the nutrient uptake efficiency are key trends in the Indian fertiliser sector. We presume that these trends will translate to a muted long-term growth potential for urea production and consumption but a decent growth potential for organic and alternative chemical fertilisers.

Injudicious use of nitrogenous fertilisers, particularly urea

As compared to the world's largest agricultural producers, India ranks second in nitrogenous fertiliser use per hectare of cropland (Figure 4). It exceeds the world average by around 65 per cent (Ritchie, Roser, and Rosado 2022).

Furthermore, even after accounting for differences in agro-climatic conditions and crop profiles, the N:P:K nutrient ratio in India in FY 2021–22 was highly skewed towards nitrogenous content (National Academy of Agricultural Sciences 2009), standing at 7.7:3.1:1 (The Fertiliser Association of India 2022) against an ideal and accepted nutrient ratio of 4:2:1 (National Academy of Agricultural Sciences 2009). This is a direct consequence of the outsized share of urea in fertiliser consumption. Furthermore, there exist significant regional differences in urea consumption patterns in India, leading to severe overuse in some regions but soil nitrogen deficiency in others (Ministry of Agriculture & Farmers Welfare 2023). There are concerns regarding the falling nitrogen uptake efficiency (Singh 2023) and water contamination due to the overuse of urea (Ministry of Agriculture & Farmers Welfare 2021). While adequate nitrogen delivery is essential for crops, India must find ways to prevent soil degradation, avoid fertiliser wastage, and balance the nutrient profile of fertilisers used on farmlands.

Figure 4 Overuse of nitrogenous fertilisers in India is a worrying prospect



Source: Ritchie, Roser, and Rosado (2022)

Farmers' reliance on urea can be explained by the differences in the prices of various fertilisers. Urea is a price-controlled product in India, for which farmers need only pay a delivered price of INR 5.36 (~USD 0.06) per kg (Department of Fertilizers 2024b). However, non-urea fertilisers, including NP and NPK complexes, which contain a more balanced nutrient profile, are priced dynamically in the market. In direct comparison to urea, their maximum retail prices were much higher – between INR 20 and 47.6 (~USD 0.24 and USD 0.57) per kg as of February 2024 (Department of Fertilizers 2024b). Thus, the adoption of fertilisers other than urea is impeded by the artificially low prices of urea.


The recent sharp rise in fertiliser subsidy expenditure in India is a worrying trend.

Rising subsidy expenditure on fertilisers

The recent sharp rise in fertiliser subsidy expenditure in India (Figure 5) is a worrying trend. To understand the dominant factors behind this rise, we assess the structure of subsidy disbursement in India.


Urea and non-urea fertilisers in India are subsidised in different ways. Fertiliser companies that produce and import urea are paid subsidies by the Government of India based on the difference between the set prices of urea and the cost of production or imports, according to specific criteria. Consequently, the total subsidy expenditure for urea in India depends on production costs. These tend to vary widely due to the dependence on one critical raw material and fuel – natural gas. As India imports a significant share of the natural gas used for urea production (78 per cent in FY 2022–23) in addition to importing ammonia and end-fertiliser products, the fertiliser subsidy is subject to the vagaries of volatile international natural gas markets.

Figure 5 India's budgeted fertiliser subsidy expenditure has grown threefold over two financial years



Source: Authors' compilation from Department of Fertilizers (2018a, 2020, 2021, 2022), The Fertiliser Association of India (2023a), Ministry of Finance (2024)

Figure 6 There has been a sharp uptick in NBS rates in recent years



Source: Ministry of Chemicals and Fertilizers (n.d.)

Note: *Average of rabi and kharif rates announced for 2022 are presented

Non-urea products are not price controlled and are subsidised under the *Nutrient Based Subsidy* (NBS) scheme. The Government of India pays a subsidy per kilogram of nutrient used in certain scheduled non-urea fertiliser products. The rates for N, P, K, and S nutrients, revised annually, have seen a sharp uptick in recent years (Figure 6), which could be due to the government's focus on balancing the nutrient profile of the fertilisers used and the high costs of imported ammonia, phosphatic rock, and potash.

Promotion of organic and alternative fertilisers through the PM-PRANAM Scheme

The Government of India announced the *Prime Minister's Programme for Restoration, Awareness, Nourishment and Amelioration of Mother Earth* (PM-PRANAM) scheme in 2023 (Ministry of Chemicals

and Fertilizers 2023a). The scheme's objective is to incentivise the states and union territories (UTs) to promote the usage of alternative and organic fertilisers and moderate the use of chemical fertilisers. Under the scheme, India has tabled a proposal to redirect 50 per cent of the fertiliser subsidy saved by a state or UT through a reduction in consumption of chemical fertilisers benchmarked against its previous three years' consumption. The scheme also includes a *Market Development Assistance* programme to support the marketing of organic fertilisers with a subsidy of INR 1,500 (~USD 19) per tonne (Ministry of Chemicals and Fertilizers 2023a). Provisions to leverage biogas production plants set up under the *GOBARDhan* scheme by harnessing their residues as organic fertilisers are also included. Five hundred such waste-to-wealth plants are sanctioned to be supported under the *PM-PRANAM* scheme.

Developments in improving the efficiency of nitrogen uptake

As part of its efforts to improve the efficiency of nutrient use, India has begun testing and producing nano-urea, which supposedly releases nutrients directly to plants in a controlled way. While its effectiveness as a solution is still being evaluated and has not been conclusively established, India has chalked up plans to establish eight new nano-urea plants with an overall production capacity of 220 million litres, intended to potentially replace 19.5 MTPA of conventional urea (Ministry of Chemicals and Fertilizers 2023b).

1.3 Green hydrogen's role in decarbonising India's fertiliser industry

Green hydrogen can play a role in decarbonising ammonia production. Ammonia is a crucial intermediary product for the major fertilisers used in India – urea, DAP, and OCFs. Its production relies on grey hydrogen, derived from the reformation of natural gas, which emits greenhouse gases, primarily carbon dioxide (CO₂). The combustion of fuels to drive the reaction between hydrogen and nitrogen to form ammonia adds to the emissions. In 2018, the total emissions from ammonia production were estimated to be around 25 MTPA of carbon dioxide equivalents (CO₂eq) (GHG Platform India n.d.). To mitigate these emissions, green hydrogen produced through electrolysis of water can be used to produce green ammonia. In addition, green-hydrogen-derived ammonia, when reacted with CO₂ procured from other industries to produce urea, can unlock a carbon utilisation pathway.

Currently, the economics of switching from grey- to green-hydrogen-based ammonia production are challenging. Given that the agricultural sector is heavily dependent on fertilisers, and its consequent impact on the political economy, the premium associated with green hydrogen use must be lowered as much as possible. We endeavour to assess this premium and address the emergent imperatives of a switch from grey to green ammonia use in India's fertiliser industry.

2. Ammonia requirement in India's fertiliser sector

Hydrogen and nitrogen gases react at high temperatures and pressures to produce ammonia (NH₃), an intermediary required in the production of fertilisers. Fossil fuels such as coal, natural gas, or naphtha are typically reformed to produce hydrogen. They are also used as fuel to provide heat for the reactions. Nitrogen gas, which is required for the process, is introduced by injecting air into the secondary reformer. A by-product of the reforming reactions is CO₂ gas. In urea production, this CO₂ produced by the reformers gets utilised in the subsequent step.

The production of urea involves the reaction of ammonia and CO₂ through the Bosch–Meiser process. At stoichiometric proportions, 1 tonne of urea production requires around 0.57 tonnes of ammonia and approximately 0.73 tonnes of CO₂. To produce 0.57 tonnes of ammonia, 0.1 tonnes of hydrogen gas is needed to react with 0.47 tonnes of nitrogen gas.


The consumption of ammonia in the production of non-urea fertilisers is determined by the proportion of nitrogen required in terms of weight in that particular fertiliser. For instance, DAP requires nitrogen content to be 18 per cent by weight. This nitrogen content in DAP is provided by ammonia or urea, which are used as raw materials in production. For OCFs, the nitrogen content is denoted by the fertiliser grade, expressed in an N:P:K:S format. For example, a complex fertiliser with a grade 12:32:16:0 contains 12 per cent nitrogen, 32 per cent phosphorus, 16 per cent potassium, and zero per cent sulphur by weight. The ammonia requirement for OCFs is calculated using an approach similar to that adopted for DAP.

We estimate that around 86% of the total ammonia consumed in India is reliant on imports of ammonia or natural gas.

We estimate that India's fertiliser sector required around 19.1 MTPA of ammonia in FY 2022-23 (Figure 7). The increase in the demand for ammonia in FY 2022-23 is attributable to the increase in urea manufacturing capacity. Around 84 per cent of the ammonia requirement is for urea production alone, as it consumes much more ammonia per unit of product. In addition, the higher production volumes of urea as compared to other fertilisers also skews this proportion.


Almost all the ammonia necessary for urea production is obtained from in-house integrated units. Natural gas is reformed to produce grey hydrogen and, subsequently, grey ammonia in urea production. We estimate that around 78 per cent of the natural gas used for urea production in FY 2022-23 was imported (Petroleum Planning & Analysis Cell 2023b). In contrast, we estimate that for non-urea fertilisers, around 79 per cent to 89 per cent of the ammonia required is directly imported. The rest is produced in India by reforming natural gas.

Figure 7 Urea consumes around 84% of the ammonia used as feedstock



Source: Authors' analysis

Figure 8 Around 86% of the total ammonia consumed in India is reliant on imports of ammonia or natural gas



Source: Authors' analysis

Note: Shades of green denote ammonia consumption through urea and shades of grey through non-urea fertilisers

The Indian fertiliser sector also consumes ammonia indirectly through imported fertilisers. Such embedded ammonia amounted to 6.3 MT in FY 2022–23, accounting for 24 per cent of the total consumption of ammonia, which stood at 25.5 MT in the same period (Figure 8). Factoring in imported liquefied natural gas (LNG), imported ammonia, and embedded ammonia in imported fertiliser end products, we observe that around 86 per cent of the ammonia consumption in India is reliant on imports.


In addition to its use as a feedstock in ammonia production, natural gas is also used to produce heat to catalyse reactions in fertiliser plants. Some fertiliser plants also operate captive power generation plants that use generators that operate on natural gas. These, however, don't account for a significant share of natural gas demand, as our estimates suggest that only around three per cent of the natural gas supplied to fertiliser units is used for power generation.

The fertiliser sector in India consumed 19.4 billion cubic metres of gas in FY 2022–23 (Figure 9) (Petroleum Planning & Analysis Cell 2023b). Increasingly

larger proportions of this total gas consumption are commanded by imported re-gasified liquefied natural gas (RLNG), which is used to produce both urea and non-urea fertilisers.


Urea production units in India are characterised by wide variations in specific energy consumption (SEC) (Figure 10), and older plants with significant vintage are not energy efficient. Currently, all urea production plants are divided into three groups, with target energy norms (TENS) ascribed to each group (Department of Fertilizers 2024a): 5.5 Gcal per tonne of urea for Group I, 6.2 Gcal per tonne for Group II, and 6.5 Gcal per tonne for Group III. These norms are used as the basis for calculating the urea subsidy outlay (Department of Fertilizers 2024a). Blending green ammonia could be instrumental in reducing natural gas consumption for the sector as a whole and, in effect, improving energy efficiency. This will help create room within the subsidy expenditure for support for green ammonia adoption. Furthermore, as most of the natural gas is imported, a transition to domestic green ammonia use will secure the energy needs of the sector against economic as well as political shocks.

Figure 9 India's fertiliser sector is increasingly dependent on imported natural gas



Source: Authors' analysis based on Petroleum Planning & Analysis Cell (2020, 2021, 2022, 2023b)

Figure 10 India's urea manufacturing units have the potential to increase efficiency



Source: Department of Fertilizers (2018b), Bhushan et al. (2019)

Note: This excludes the BVFCL's Namrup-II and Namrup-III units with SECs of 18.9 and 12.8 Gcal/tonne, respectively.

3. Cost of grey ammonia for the Indian fertiliser industry

We have estimated a baseline grey ammonia cost for the fertiliser sector to assess the financial premium of green ammonia over grey ammonia. Grey ammonia costs are heavily dependent on natural gas costs. The supply structures and pricing mechanisms for natural gas directly affect the delivered cost of grey hydrogen for the production of urea and non-urea fertilisers.

3.1 The supply structure and pricing mechanisms for natural gas delivered to fertiliser units

Fertiliser companies procure natural gas from domestic and international suppliers through long-term contracts and also through spot purchase mechanisms. For all urea manufacturing units, the input costs of natural gas are equalised under the *Guidelines for Pooling of Gas in Fertiliser (Urea) Sector* (Ministry of Petroleum and


Natural Gas 2015). A virtual pool operator aggregates demand and prices from all urea manufacturing units on a monthly basis to issue a single delivered price for all the units. The pool operator reconciles the balances of each unit against this delivered price on a monthly basis. No such measures are imposed for the production of non-urea fertilisers, which leads to differences in input costs for the producers of these fertilisers.

We estimate the delivered prices of natural gas by considering the various cost components. In the case of imported LNG, an import duty and a social welfare surcharge are levied upon the contracted gas price. Since it is liquefied, it must be re-gasified before transmission through a pipeline. The transmitter imposes a re-gasification tariff as well as pipeline transmission charges. Both these charges incur Goods and Services Tax (GST). In addition to these components, suppliers' margins and a state-wise value-added tax (VAT) are added to finally arrive at the delivered price of natural gas. We have estimated the delivered price for domestic natural gas using the imported LNG tax structure and excluding irrelevant components such as import duty and re-gasification tariff. Figure 11 depicts the price build-up schematically.

Due to the inherent differences in the base prices of domestic natural gas and imported LNG, as well as differences in the price build-up components, the delivered prices of domestic and natural gas vary widely. This variation leads to differences between the delivered prices of natural gas for urea and non-urea fertiliser production (Table 1). We estimate that the delivered gas prices for urea manufacturing were 22 per cent to 34 per cent cheaper (between FY 2019–20 and FY 2022–23) than those for non-urea fertilisers.

Most of the ammonia used in the production of non-urea fertilisers is imported, and therefore, we estimate the cost of ammonia as a weighted average of the cost of imported and domestically produced ammonia for non-urea fertiliser production. We observe that the costs of imported ammonia and imported RLNG rose sharply in FYs 2021–22 and 2022–23 as a result of supply chain disruptions and geopolitical factors, which translated to a rise in the overall cost of ammonia for non-urea fertiliser production in India.

Figure 11 Import duty and re-gasification tariffs are additional components in the price build-up of imported RLNG



Source: Authors' analysis

Table 1 Gas prices for urea production are 22% to 34% cheaper than those for non-urea fertiliser production

Estimated delivered price of natural gas	Units	FY 2019–20	FY 2020–21	FY 2021–22	FY 2022–23
Urea production	USD/MMBtu	7.1	5.8	9.5	16.1
Production of non-urea fertilisers	USD/MMBtu	10.5	8.7	14.3	20.7
Ratio of gas prices for urea and non-urea fertiliser production		0.68	0.67	0.66	0.78

Source: Authors' analysis

Table 2 Estimated grey ammonia costs for urea and non-urea fertiliser production in India

Estimated grey ammonia costs	Unit	FY 2019–20	FY 2020–21	FY 2021–22	FY 2022–23
Urea production – average ammonia cost	USD/tonne	237	197	310	510
Non-urea fertiliser production – weighted average ammonia cost	USD/tonne	292	287	688	919
Non-urea fertilisers – cost of ammonia produced in India	USD/tonne	340	283	456	649
Non-urea fertilisers – cost of ammonia imported	USD/tonne	286	288	721	990
Proportion of imported grey ammonia	Percentage	89%	83%	88%	79%

Source: Authors' analysis

The differences in the delivered prices of natural gas in the fertiliser sector lead to differences in the cost of grey ammonia. We estimate the cost of grey ammonia produced in India to range from USD 197 to USD 510 per tonne for urea production (Table 2), whereas it is higher for the production of non-urea fertilisers, ranging from USD 287 to USD 919 per tonne of ammonia during the period from FY 2019–20 to FY 2022–23. This period witnessed significant volatility in the cost of ammonia produced in India and imported from overseas due to supply chain disturbances caused by the pandemic and global conflicts. The estimation process is explained in greater detail in Annexure 1.

4. Financial implications of blending green ammonia


Blending green ammonia in existing fertiliser production may impose an additional cost as the levelised cost of green ammonia in India ranges between USD 700 to USD 950 per tonne (IRENA and AEA 2022; Indo-German Energy Forum 2023; Pawar et al. 2021). This cost is higher than that for grey ammonia estimated in Section 3 for the years that did not experience extensive supply-chain disturbances.

4.1 Blending premise for the estimation of the incremental cost of green ammonia

Green hydrogen can be introduced in two ways in urea production: green hydrogen can be introduced at the suction of the synthesis compressor and blended with syngas, or green ammonia can be blended in the urea production step. Feasibility studies and pilot projects have been undertaken (Box 1) that aim to blend green ammonia in existing fertiliser production units. The schematic in Figure 12 depicts the assumptions underlying our estimate of the incremental cost of ammonia in the urea production process. We consider blending green ammonia with grey ammonia out of the integrated ammonia unit into the Bosch–Meiser process for urea production. For the production of non-urea fertilisers, CO₂ as a raw material is not required, and we consider green ammonia to be a fungible replacement for grey ammonia.

Switching to 100% green ammonia could turn India's fertiliser production into a net-negative emissions industry.

Figure 12 Schematic of the process used for estimating the incremental cost of hydrogen in urea production (indexed to 1 tonne of urea production)



Source: Authors' analysis

For both urea and non-urea fertiliser production, we estimate the incremental cost of green ammonia over grey ammonia for four blending proportions: 5 per cent, 10 per cent, 25 per cent, and 50 per cent. In the case of urea production, we have used a capture cost of USD 50 per tonne of CO₂ (IEA 2021) and a transport and handling cost of USD 15 per tonne of CO₂ (Smith et al. 2021) in the base case. For the aggressive case, we used a capture cost of USD 20 per tonne of CO₂ and a transport and handling cost of USD 5 per tonne of CO₂.

4.2 Challenges with blending green ammonia in the urea production process

Although green ammonia blending poses technical and operational challenges in addition to the financial premium, in this paper, we will focus mainly on the financial implications that such a green ammonia blend will impose on the fertiliser sector and only briefly discuss the technical challenges.

Box 1 Efforts in Australia to blend green hydrogen in existing ammonia production

Two projects in Australia that aim to blend green hydrogen in fertiliser production processes are underway. Project Haber is a proposed ammonia or granulated urea manufacturing facility with a planned capacity to produce 1.4 MTPA of urea. While the primary feedstock for the project is natural gas, the project includes the integration of an 'on-site 10-megawatt (MW) electrolyser with the capacity to produce around 1,825 tonnes per annum of renewables-based hydrogen, or around two per cent of the total hydrogen feedstock for the plant' (The Commonwealth Scientific and Industrial Research Organisation 2022). The project is under development after its feasibility and pre-FEED studies were completed in October 2022.

The Yuri Renewable Hydrogen to Ammonia Project, also in Australia, 'will construct a 10 MW electrolyser to produce renewables-based hydrogen to replace a portion of the hydrogen produced through the steam methane reforming (SMR) process at Yara Fertilisers' existing liquid ammonia plant' (The Commonwealth Scientific and Industrial Research Organisation 2023). The project is scheduled for completion in 2024. The total project budget is AUD 87 million (~USD 58 million) for which the company has secured equity funding and grants from a host of partners.

Source: Authors' compilation

Firstly, a blending mechanism necessitates retrofitting old plants, which could be problematic due to space constraints. Managing the turn-down of existing reformers is the second challenge. If the capacity utilisation of the integrated ammonia unit drops, the overall energy efficiency of urea production reduces. This is because waste heat and steam recirculation loops that are calibrated for a specific capacity get disturbed. Thus, additional energy would be required to meet the necessary process parameters.

Finally, the requirement of procuring CO₂ for urea production is the most prominent challenge for green ammonia blending. In the current urea production process, sufficient CO₂ from the integrated ammonia unit is captured and fed into the Bosch–Meiser process, as depicted in Figure 12. However, blending green ammonia will require the additional procurement of CO₂ externally. Our preliminary estimations have yielded a green ammonia blending threshold ranging between 16 per cent and 30 per cent up to which blending will not require external CO₂. Details of the estimation are presented in Annexure 2. The operational parameters in an actual blending scenario can drastically affect these thresholds. Considering this, our estimates in Sections 4.3 and 4.4 account for the costs of procuring CO₂ in various blending scenarios.

A greenfield urea production facility that relies on green ammonia and captured CO₂ could mitigate the technical challenges associated with blending. However, the financial premium for urea that is 100 per cent green ammonia derived will be massive. Therefore, there

is a need to consider incremental blending of green ammonia in fertiliser plants to mitigate the impact on overall subsidy flow to the sector.

4.3 Incremental cost of green ammonia for urea production

We estimate that a 10 per cent blend of green ammonia with a levelised cost of USD 700 per tonne (levelised cost of ~USD 2.8 per kg of green hydrogen) against a delivered price of natural gas of USD 9 per million metric British thermal units (MMBtu) will yield INR 6,286 crore (~USD 785 million) as the total incremental cost of ammonia in the base case scenario for CO₂ costs. This amounts to an increment of around 17 per cent in the cost of ammonia. The corresponding increase in urea production cost is INR 2.22 per kg (~USD 0.03) against an overall production cost which ranged between INR 15 (~USD 0.2) to INR 25 (~USD 0.3) per kg between FY 2019–20 and FY 2022–23 as per our estimates. The incremental cost of ammonia rises with an increase in the blending proportion and the cost of green ammonia, but it reduces with a rise in natural gas prices. Table 3 presents the incremental cost of ammonia (in INR crore) across ranges of various parameters associated with natural gas prices, the cost of green ammonia, and the level of green ammonia blending. We assume full-capacity production of urea in India, which stands at 28.3 MTPA. Table 4 presents the sensitivities in terms of percentage over grey ammonia costs. Annexure 3 presents the key assumptions used in this estimation.



Table 3 Sensitivities to the incremental cost of green ammonia for urea production at the full capacity of 28.3 MTPA (INR crore)

Green ammonia blend (%)		5	10	25	50	5	10	25	50
Levelised cost of green ammonia (USD/tonne)	Delivered cost of natural gas (USD/MMBtu)	Base-case CO ₂ cost (USD 65 per tonne of CO ₂)				Aggressive-case CO ₂ cost: (USD 25 per tonne of CO ₂)			
		Incremental cost of green ammonia blending (INR crore)							
500	15	690	1,381	3,451	6,903	362	723	1,808	3,617
	12	1,275	2,550	6,375	12,751	946	1,893	4,732	9,464
	9	1,860	3,720	9,299	18,598	1,531	3,062	7,656	15,312
	6	2,445	4,889	12,223	24,446	2,116	4,232	10,580	21,160
700	15	1,973	3,946	9,866	19,732	1,645	3,289	8,223	16,446
	12	2,558	5,116	12,790	25,580	2,229	4,459	11,147	22,294
	9	3,143	6,286	15,714	31,428	2,814	5,628	14,071	28,141
	6	3,728	7,455	18,638	37,275	3,399	6,798	16,995	33,989
900	15	3,256	6,512	16,281	32,562	2,928	5,855	14,638	29,275
	12	3,841	7,682	19,205	38,409	3,512	7,025	17,562	35,123
	9	4,426	8,851	22,128	44,257	4,097	8,194	20,485	40,971
	6	5,010	10,021	25,052	50,105	4,682	9,364	23,409	46,818
1,100	15	4,539	9,078	22,695	45,391	4,210	8,421	21,052	42,105
	12	5,124	10,248	25,619	51,239	4,795	9,590	23,976	47,952
	9	5,709	11,417	28,543	57,086	5,380	10,760	26,900	53,800
	6	6,293	12,587	31,467	62,934	5,965	11,930	29,824	59,648

■ Low premium ■ High premium

Source: Authors' analysis

Note: The cell shaded in green denotes an anchor value for the reference provided in text.

Table 4 Sensitivities to the incremental cost of green ammonia for urea production at full capacity in terms of percentage over the cost of grey ammonia

Green ammonia blend (%)		5	10	25	50	5	10	25	50
Levelised cost of green ammonia (USD/tonne)	Delivered cost of natural gas (USD/MMBtu)	Base-case CO ₂ cost				Aggressive-case CO ₂ cost			
		Incremental cost of green ammonia blending as percentage							
500	15	1%	2%	6%	11%	1%	1%	3%	6%
	12	3%	5%	13%	26%	2%	4%	10%	19%
	9	5%	10%	25%	49%	4%	8%	20%	41%
	6	9%	19%	47%	94%	8%	16%	41%	82%
700	15	3%	6%	16%	32%	3%	5%	13%	27%
	12	5%	10%	26%	52%	5%	9%	23%	45%
	9	8%	17%	42%	84%	7%	15%	37%	75%
	6	14%	29%	72%	144%	13%	26%	66%	131%
900	15	5%	11%	27%	53%	5%	10%	24%	48%
	12	8%	16%	39%	78%	7%	14%	36%	71%
	9	12%	24%	59%	118%	11%	22%	54%	109%
	6	19%	39%	97%	193%	18%	36%	90%	181%
1,100	15	7%	15%	37%	74%	7%	14%	35%	69%
	12	10%	21%	52%	104%	10%	19%	49%	97%
	9	15%	30%	76%	152%	14%	29%	71%	143%
	6	24%	49%	121%	243%	23%	46%	115%	230%

■ Low premium ■ High premium

Source: Authors' analysis

Note: The cell shaded in green denotes an anchor value for the reference provided in text.

4.4 Incremental cost of green ammonia for the production of non-urea fertilisers

For the production of non-urea fertilisers, we estimate that a 10 per cent blend of green ammonia with a levelised cost of USD 700 per tonne against a grey ammonia cost of USD 400 per tonne will result in an incremental cost of INR 684 crore (~USD 85 million), assuming average production levels for FYs from 2019–20 to 2021–22. This amounts to an incremental cost of INR 0.54 (~USD 0.007) per kg of fertiliser end product

compared to a market price ranging between INR 20 and INR 47 per kg (~USD 0.2 to USD 0.6) (Department of Fertilizers 2024b). This amounts to an increment of 8 per cent over the cost of non-urea fertilisers produced grey ammonia vis-à-vis 14 per cent observed in the case of urea. The associated sensitivities pertaining to the incremental cost of hydrogen are presented in Table 5. Here, we additionally include a 100 per cent green ammonia blending scenario as the technical and economic challenges associated with using green ammonia in non-urea fertiliser production are much less formidable.

Table 5 Sensitivities to the incremental cost of hydrogen are tempered for the production of non-urea fertilisers

Green ammonia blend (%)		5	10	25	50	100
Levelised cost of green ammonia (USD/tonne)	Cost of grey ammonia (USD/tonne)	Incremental cost of green ammonia at production volumes of 13.5 MTPA (INR crore)				
500	600	-114	-228	-570	-1,140	-2,280
	400	114	228	570	1,140	2,280
	200	342	684	1,710	3,420	6,840
700	600	114	228	570	1,140	2,280
	400	342	684	1,710	3,420	6,840
	200	570	1,140	2,850	5,700	11,400
900	600	342	684	1,710	3,420	6,840
	400	570	1,140	2,850	5,700	11,400
	200	798	1,596	3,990	7,980	15,960
1,100	600	570	1,140	2,850	5,700	11,400
	400	798	1,596	3,990	7,980	15,960
	200	1,026	2,052	5,130	10,260	20,520

■ Low premium ■ High premium

Source: Authors' analysis

Note: The cell shaded in green denotes an anchor value for the reference provided in text.

We observe that on an absolute basis, the incremental cost of green ammonia blending in the production of non-urea fertilisers is lower than that for urea production. Under certain conditions, it may even be cheaper to use green ammonia

rather than grey ammonia. This difference between the incremental costs of green ammonia in urea and non-urea fertiliser production is even more pronounced when given as percentages (Table 6).



Table 6 Sensitivities to the incremental cost of green ammonia for non-urea fertiliser production over the cost of grey ammonia in terms of percentage

Green ammonia blend (%)		5	10	25	50	100
Levelised cost of green ammonia (USD/tonne)	Cost of grey ammonia (USD/tonne)	Incremental cost of green ammonia as percentage				
500	600	-1%	-2%	-4%	-8%	-17%
	400	1%	3%	6%	13%	25%
	200	8%	15%	38%	75%	150%
700	600	1%	2%	4%	8%	17%
	400	4%	8%	19%	38%	75%
	200	13%	25%	63%	125%	250%
900	600	3%	5%	13%	25%	50%
	400	6%	13%	31%	63%	125%
	200	18%	35%	88%	175%	350%
1,100	600	4%	8%	21%	42%	83%
	400	9%	18%	44%	88%	175%
	200	23%	45%	113%	225%	450%

■ Low premium ■ High premium

Source: Authors' analysis

Note: The cell shaded in green denotes an anchor value for the reference provided in text.

4.5 Financial implications of green ammonia blending on government subsidies

The incremental costs of ammonia estimated in Sections 4.3 and 4.4 are significant enough to warrant rendering governmental financial support to fertiliser units. In Table 7, we present an estimation of the impact on the government's subsidy outlay in a scenario where 10 per cent green ammonia is blended in domestically produced fertilisers at a levelised cost of USD 700

per tonne and is fully supported by the government. In this scenario, we estimate that the impact on the fertiliser subsidy for domestic urea production will range from around 3 per cent to 14 per cent, considering corresponding grey ammonia costs for the FY. For non-urea fertilisers, the impact on the subsidy component for indigenous NPK fertiliser production would range from under 6 per cent in FY 2019–20 to –1 per cent in FY 2022–23. The negative impact signifying a potential gain in FY 2022–23 is attributed to a sharp rise in grey ammonia costs due to geopolitical disturbances.

Table 7 Impact on government subsidies for domestic production of fertilisers with green ammonia blending will be much lower for non-urea fertilisers

Particulars	Unit	FY 2019–20	FY 2020–21	FY 2021–22	FY 2022–23
Urea subsidy	INR crore	54,755	90,549	1,00,988	1,65,217
Urea subsidy (domestic production)	INR crore	43,050	68,807	56,538	1,25,270
Domestic urea production	MTPA	24.5	24.6	25.1	28.5
Subsidy per kg of domestic production	INR per kg	17.6	28.0	22.5	44.0
Incremental cost of ammonia for 10% green ammonia blend	INR per kg urea	2.48	2.66	2.15	1.24
	INR crore	6,067	6,541	5,389	3,535
Incremental cost as a percentage of subsidy per kg of domestic production	Percentage	14.1%	9.5%	9.5%	2.8%
Subsidy for non-urea fertilisers under NBS policy	INR crore	26,369	37,372	52,770	86,122
Subsidy for non-urea fertilisers (domestic production)	INR crore	15,906	22,288	31,931	50,090
Domestic non-urea fertiliser production	MTPA	13.3	13.1	12.5	13.6
Subsidy per kg of domestic production	INR per kg	12.0	17.0	25.5	36.8
Incremental cost of ammonia for a 10% green ammonia blend	INR per kg fertiliser	0.73	0.74	0.02	-0.37
	INR crore	974	963	26	-505
Incremental cost as a percentage of subsidy per kg of domestic production	Percentage	6.1%	4.3%	0.08%	-1.01%

Source: Authors' analysis based on Department of Fertilizers (2018a, 2020, 2021, 2022), The Fertiliser Association of India (2023a), Ministry of Finance (2024)

5. The emissions mitigation potential of green ammonia

Fertiliser production in India has the potential to become a net-negative emissions industry with a switch to 100 per cent green ammonia. A transition to green ammonia would reduce emissions from the reforming process required to produce hydrogen and absorb external CO₂ captured from other industrial emissions in the urea production process.


Figure 13 presents the variations in the emissions mitigation potential as a function of the proportion of green ammonia blended in the urea and non-urea fertiliser production processes. We account only for the mitigation of emissions from fertiliser plants. The emissions from the application of fertilisers to farms are not considered.

For urea, we estimate the mitigation potential of CO₂ emissions to vary between 0.05 kg per kg of urea at a 5 per cent green ammonia blend and 0.94 kg per kg of urea when 100 per cent green ammonia is used. At a full-capacity production level, this implies a potential mitigation of 1.3 MTPA to 26.6 MTPA of CO₂ emissions. For non-urea fertilisers, the emission mitigation potential of green ammonia blending is estimated to be lower due to the lower specific consumption of ammonia in the end products, and the mitigation potential of CO₂ emissions would vary between 0.02 kg per kg of fertiliser at a 5 per cent green ammonia blend to 0.36 kg per kg of fertiliser for 100 per cent green ammonia. The total CO₂ mitigation potential range is 0.2 MTPA to 4.7 MTPA for non-urea fertiliser products.

The emission mitigation costs are estimated separately for urea and non-urea fertilisers to account for the variance in grey ammonia costs and to factor in the cost of the external CO₂ that must be procured for green ammonia blending in urea production. We estimate that the emissions mitigation cost for blending green ammonia in urea fertilisers will range from a net gain of around USD 10 per tonne of CO₂ mitigated in the most aggressive scenario to around USD 230 per tonne of CO₂


mitigated in the most conservative scenario (Figure 14). The corresponding ranges for non-urea fertilisers are lower – from a net gain of USD 60 per tonne of CO₂ to a cost of USD 181 per tonne of CO₂ mitigated. As there is no need for externally sourced CO₂ in non-urea fertiliser production, the cost of mitigation is lower for non-urea fertilisers, although the difference in grey and green ammonia costs remain the same.

Figure 13 The specific emissions mitigation potential of green ammonia in fertiliser production is higher for urea production



Source: Authors' analysis

Figure 14 Costs of CO₂ mitigation with green ammonia blending in non-urea fertiliser production would be lower for the same green premium



Source: Authors' analysis

6. Policy recommendations

Green ammonia blending is vital in promoting sustainability in India's fertiliser industry. In addition to its potential to reduce greenhouse gas emissions, it will bolster India's energy security. The fertiliser sector is an upstream industry to agriculture, so energy stability in the fertiliser sector will have a positive cascading effect on the stability in food and crop production in India.

Replacing grey ammonia with green ammonia will drive down natural gas consumption in the sector. One-time capital investments in green ammonia assets can help offset subsidy expenditure, tied to volatile natural gas costs, that is incurred on an annual basis. These capital investments can be co-financed by multilateral development banks, and strategic foreign investors along with the Indian government. The existing viability gap funding provisions under the *National Green Hydrogen Mission* (NGHM) can be also leveraged. In the long term, the subsidy burden on fertilisers can be allayed with these measures without fundamentally changing the structure of the subsidy.

As the fertiliser sector is a major consumer of hydrogen in India, transitioning to green ammonia would be instrumental in developing India's green hydrogen economy. Therefore, it is important to find ways to bridge the economic premium associated with the transition to green ammonia in the fertiliser industry. We propose the following recommendations to aid the transition to green ammonia.

6.1 Prioritise the transition of non-urea fertilisers for green ammonia blending

It is evident from our analysis that the production of non-urea fertilisers has a lower green premium than that for urea production. As observed, in certain volatile periods, procuring green ammonia at stable and predictable prices could even turn out to be cheaper than procuring grey ammonia. The other benefit of prioritising green ammonia blending in non-urea fertilisers over urea is that the technical challenges of blending, including the need to procure external CO₂, are sidestepped.

Non-urea fertilisers require around 3 MTPA of ammonia, 79 per cent to 89 per cent of which is imported (Figure 7). A 50 per cent green ammonia blending mandate, for example, would translate to 1.35 MTPA to 1.5 MTPA of


green ammonia demand and, by extension, a demand for 0.24 MTPA to 0.26 MTPA of green hydrogen. Therefore, building a supply of green ammonia even at these volumes will not be a challenge in India, even in the short term, considering the projected capacity of the green hydrogen and green ammonia projects being developed.

We recommend a progressive blending mandate for green ammonia, such that it reaches 100 per cent by 2030 only for non-urea fertilisers. By then, an adequate supply of green hydrogen and green ammonia should have been established, in line with the *NGHM* targets. In the shorter term, the Department of Fertilizers can introduce a lower blending mandate, economically supported by the production incentives announced in the *NGHM* for green ammonia (Ministry of New and Renewable Energy 2024). Currently, these production incentives are unrestricted and do not depend on who the offtaker is. Since such incentives help bring down the economic premium, we recommend that a portion of the incentives tranche be earmarked for offtake by the Indian fertiliser industry. In addition, the government could also support fertiliser companies by awarding a marginal subsidy bonus over NBS rates for the production of green non-urea fertilisers, for a stipulated duration.

6.2 Reduce the cost of capital for green hydrogen and green ammonia infrastructure

Capital expenditure for establishing electrolyzers and renewable energy components is the most prominent factor, estimated to account for up to 81 per cent of the levelised cost of hydrogen. This makes the levelised cost of ammonia highly sensitive to the cost of capital for green hydrogen infrastructure. Reducing the levelised cost is a greater challenge in India due to the higher costs of private capital in India compared to countries in the developed world. The Indian government could provide grants or low-cost loans dedicated to supporting capital expenditure for green ammonia projects in the fertiliser industry. We estimate that a reduction in the levelised cost of ammonia of around 23 per cent could be achieved with a five percentage point reduction in the cost of capital (Figure 15). This implies that the levelised cost of green ammonia can be reduced by around USD 194 per tonne with the theorised reduction in capital cost. The conversion of the levelised cost of green hydrogen to a levelised cost of green ammonia is based on the authors' analysis of the capital expenditure models for green ammonia plants reported in the literature (Butterworth 2022).

Figure 15 A reduction in the levelised cost of green ammonia of around 23 per cent can be achieved with a five percentage point reduction in the cost of capital



Source: Authors' analysis

6.3 Include the fertiliser sector in the Indian Carbon Market

Green ammonia use in India's fertiliser sector has the potential to transform the sector into a net-negative emitter of greenhouse gases due to the utilisation of CO₂ in the urea manufacturing process. The inclusion of this sector in the Indian Carbon Market being developed by the Bureau of Energy Efficiency (BEE) will allow fertiliser companies to generate revenue by selling carbon credits. While the cost of CO₂ mitigation with green ammonia blending is high in most cases, as shown in Figure 14, there are a few cases where the cost of mitigation is comparable to the carbon price in global carbon markets. With evolving cost economics, we expect the cost of mitigation to drop. To prepare the sector to leverage carbon markets in such a scenario, we recommend that the government define a monitoring, reporting, verification, and certification framework in addition to the institutional measures the *Carbon Credit Trading Scheme* (CCTS) will bring in.

6.4 Investigate pathways to utilise green ammonia in nitrogen delivery to crops

We suggest two pathways through which green ammonia can help in the sustainable transition of nitrogen delivery to farmlands. The effectiveness and efficacy of

these pathways must be investigated through research before incorporating them into policy actions.

Firstly, alternatives to urea, such as ammonium sulphate or ammonium phosphate, could be promoted. These fertilisers offer a fungible pathway to replace grey ammonia with green ammonia as they do not impose CO₂ requirements. In addition, these fertiliser products can help in balancing the nutrient profile of farmlands and reducing the overall application of fertilisers due to better uptake efficiency. However, if these fertilisers are to be adopted widely, farmers should be given incentives to make them attractive in comparison to urea, which is cheaply available.

Secondly, the technical parameters involved in blending green ammonia or green hydrogen in urea production must be investigated through a pilot project. Conclusive data on parameters such as CO₂, steam and ammonia availability, additional heat requirements and their sources, acceptable turn-down parameters, impact on overall energy efficiency and emission intensity, infrastructural and operational requirements, and so on must be made available before effecting any policy intervention in urea production. The financial premium associated with green ammonia blending is substantial, and no action can be taken without a thorough understanding of these aspects.

7. Conclusion

A strategic and calibrated approach to introducing green ammonia into India's fertiliser industry is needed considering the criticality of fertiliser use in agriculture, green ammonia's potential to mitigate the emissions from fertiliser production and the difference in green and grey ammonia costs. In the short term, green ammonia use in non-urea fertilisers must be promoted over urea as the difference in green and grey ammonia costs is lesser,

and the technical requirements are simpler for non-urea fertilisers. In the long term, pathways to structurally reduce the levelised cost of green ammonia, demonstrate the proof-of-concept of green ammonia blending in urea production, and leverage carbon credits need to be explored. These measures will be instrumental in promoting green ammonia adoption, which will reduce the import dependence of the fertiliser sector, and secure its energy needs, in addition to the primary objective of decarbonising the industry.

Acronyms

BEE	Bureau of Energy Efficiency
CCTS	<i>Carbon Credit Trading Scheme</i>
CO₂ eq.	carbon dioxide equivalents
CPP	captive power plant
DAP	diammonium phosphate
FY	financial year
Gcal	giga calories
GST	Goods and Services Tax
INR	Indian National Rupee
K	potassium
LNG	liquefied natural gas
MMBtu	million metric British thermal units
MT	million metric tonne
MTPA	million metric tonne per annum
MW	megawatt
N	nitrogen
NBS	<i>Nutrient Based Subsidy</i>
NGHM	<i>National Green Hydrogen Mission</i>
OCF	other complex fertilisers
P	phosphorous
PM-PRANAM	<i>Prime Minister's Programme for Restoration, Awareness, Nourishment and Amelioration of Mother Earth</i>
RLNG	re-gasified liquefied natural gas
S	sulphur
SEC	specific energy consumption
TEN	target energy norms
USD	United States Dollar
VAT	value-added tax

References

- Baylin-Stern, Adam, and Niels Berghout. 2021. "Is Carbon Capture Too Expensive?" International Energy Agency, February 17. <https://www.iea.org/commentaries/is-carbon-capture-too-expensive>.
- Bhushan, Chandra, Sugandha Arora, Vinay Trivedi, Shobhit Srivastava, Kapil Subramaniam, and Shreya Verma. 2019. "How Green Is the Urea Sector?" *Down to Earth* 7: 56–66. https://cdn.cseindia.org/attachments/0.27212300_1563792624_GRP_Fertiliser_rating_DTE.pdf.
- Bureau of Energy Efficiency. 2023. Detailed Procedure for Compliance Mechanism under CCTS. New Delhi: Ministry of Environment, Forest and Climate Change. https://beeindia.gov.in/sites/default/files/Draft_Combpliance_Procedure_October_2023.pdf.
- Butterworth, Paul. 2022. "Green Ammonia Fuel Faces Three Big Challenges." CRU, February 17. <https://sustainability.crugroup.com/article/green-ammonia-fuel-faces-threebig-challenges>.
- Cybex Exim Solutions. n.d. "Indian Customs Duty of 2814: Ammonia, Anhydrous or in Aqueous Solution (Inorganic Bases and Oxides, Hydroxides and Peroxides of Metals)." Accessed 13 June 2024. <https://www.cybex.in/indian-custom-duty/ammonia-anhydrous-aqueous-solution-inorganic-hs-code-2814.aspx>.
- Department of Commerce. n.d. "Export Import Data Bank Version 7.1 – TRADESTAT." Department of Commerce, Government of India. Accessed 16 January 2024. <https://tradestat.commerce.gov.in/eidb/>.
- Department of Fertilizers. 2018a. Annual Report 2017–18. New Delhi: Department of Fertilizers, Ministry of Chemicals and Fertilizers.
- . 2018b. Indian Fertilizer Scenario 2018. New Delhi: Department of Fertilizers, Ministry of Chemicals and Fertilizers. <https://www.fert.nic.in/sites/default/files/2019-09/Fertilizers-Scenario-2018.pdf>.
- . 2020. Annual Report 2019–20. New Delhi: Department of Fertilizers, Ministry of Chemicals and Fertilizers.
- . 2021. Annual Report 2020–21. New Delhi: Department of Fertilizers, Ministry of Chemicals and Fertilizers.
- . 2022. Annual Report 2021–22. New Delhi: Department of Fertilizers, Ministry of Chemicals and Fertilizers.
- . 2024a. Annual Report 2022–23. New Delhi: Department of Fertilizers, Ministry of Chemicals and Fertilizers.
- . 2024b. "Monthly Bulletin for the Month of February, 2024." Accessed 5 July 2024. <https://www.fert.nic.in/sites/default/files/2020-082024-03/Monthly%20Bulletin%20month%20of%20February%202024.pdf>.
- GAIL India Ltd. 2023. Annual Report 2022–23. New Delhi: GAIL India Ltd. <https://www.gailonline.com/pdf/InvestorsZone/AnnualReports/GAILAnnualReport20223Final.pdf>.
- GHG Platform India. n.d. "Emissions Estimates: Industry Sector." Accessed 7 December 2023. <https://www.ghgplatform-india.org/industry-sector/>.
- GST Council. n.d. "GST Service Rates." Accessed 5 July 2024. <https://gstcouncil.gov.in/sites/default/files/GSTServiceRates.pdf>.
- IEAGHG. 2017. Techno-Economic Evaluation of SMR Based Standalone (Merchant) Plant with CCS. Paris, France: International Energy Agency.
- Indo-German Energy Forum. 2023. Market Study & Location Assessment for Green Ammonia Production in India. New Delhi: Indo-German Energy Forum.
- International Renewable Energy Agency (IRENA) and Ammonia Energy Association (AEA). 2022. Innovation Outlook: Renewable Ammonia. Abu Dhabi: International Renewable Energy Agency.
- Ministry of Agriculture & Farmers Welfare. 2021. "Excessive Use of Fertilizer". Press Information Bureau, 9 February. <https://pib.gov.in/Pressreleaseshare.aspx?PRID=1696465>.
- . 2022. Agricultural Statistics at a Glance 2022. New Delhi: Government Statistics, Ministry of Agriculture & Farmers Welfare. <https://desagri.gov.in/wp-content/uploads/2023/05/Agricultural-Statistics-at-a-Glance-2022.pdf>.

- . 2023a. *Agricultural Statistics at a Glance 2022*. New Delhi: Ministry of Agriculture & Farmers Welfare.
- . 2023b. “Contribution of Agricultural Sector in GDP”. Press Information Bureau, 21 March. <https://www.pib.gov.in/PressReleasePage.aspx?PRID=1909213>.
- Ministry of Chemicals and Fertilizers. 2023a. Policy on Promotion of Organic Fertilizers – Regarding. New Delhi: Ministry of Chemicals and Fertilizers, government of India.
- . 2023b. “Unique Package for Farmers Announced”. Press Information Bureau, 28 June. <https://pib.gov.in/PressReleaseIframePage.aspx?PRID=1935896>.
- . n.d. “Phosphatic and Potassic (P&K) Policy”. Accessed December 7, 2023. <https://www.fert.nic.in/phosphatic-and-potassic-pk-policy-o>.
- Ministry of Finance. 2024. Notes on Demands for Grants, 2024-2025. New Delhi: Ministry of Finance.
- Ministry of New and Renewable Energy. 2024. Scheme Guidelines for Implementation of Strategic Interventions for Green Hydrogen Transition (SIGHT) Programme – Component-II: Incentive Scheme for Green Ammonia Production and Supply (under Mode-2A). New Delhi: Ministry of New and Renewable Energy, Government of India. <https://cdnbbsr.s3waas.gov.in/s3716e1b8c6cd17b771da77391355749f3/uploads/2024/01/202401161392592585.pdf>.
- Ministry of Petroleum and Natural Gas. 2015. Guidelines for Pooling of Gas in Fertiliser (Urea) Sector. New Delhi: Ministry of Petroleum and Natural Gas, Government of India. https://mopng.gov.in/files/natural-gas/policies-and-guidelines/20.5.2015POOLING%20GUIDELINES_english%20version.pdf.
- National Academy of Agricultural Sciences. 2009. Crop Response and Nutrient Ratio. New Delhi: National Academy of Agricultural Sciences.
- Nelson, Ann Raeboline, Lincy Eliazer, Kavitha Ravichandran, and Usha Antony. 2019. “The Impact of the Green Revolution on Indigenous Crops of India.” *Journal of Ethnic Foods* 6: 8.
- Patidar, Rishabh, Kartheek Nitturu, Deepak Yadav, and Hemant Mallya, 2024. Evaluating Net-zero Trajectories for the Indian Fertiliser Industry: Marginal Abatement Cost Curves of Carbon Mitigation Technologies. New Delhi: Council on Energy, Environment and Water.
- Pawar, Nikhil Dilip, Ursula Heidi Heinrichs, Christoph Winkler, Philipp-Matthias Heuser, Severin D. Ryberg, Martin Robinius, and Detlef Stolten. 2021. “Potential of Green Ammonia Production in India.” *International Journal of Hydrogen Energy* 46 (54): 27247–67. <https://doi.org/10.1016/j.ijhydene.2021.05.203>.
- Petroleum Planning & Analysis Cell. 2020. Monthly Report on Natural Gas Production, Availability and Consumption, September 2020. New Delhi: Monthly Report, Petroleum Planning & Analysis Cell, Ministry of Petroleum & Natural Gas. https://ppac.gov.in/uploads/rep_studies/1670407892_202011200314250505760MonthlyGasReport-September2020WebV_R_3NOV.pdf.
- . 2021. Monthly Report on Natural Gas Production, Availability and Consumption – September 2021. New Delhi: Petroleum Planning & Analysis Cell, Ministry of Petroleum & Natural Gas. https://ppac.gov.in/uploads/rep_studies/1670472458_202110270339062506530MonthlyGasReport-September2021WebV.pdf.
- . 2022. Monthly Report on Natural Gas Production, Availability and Consumption – September 2022. New Delhi: Petroleum Planning & Analysis Cell, Ministry of Petroleum & Natural Gas. https://ppac.gov.in/uploads/rep_studies/1668760269_202210210630308892755MonthlyGasReport-September2022WebV.pdf.
- . 2023a. India's Oil and Gas Ready Reckoner: Oil and Gas Information at a Glance FY 2023-24 (H1). New Delhi: Petroleum Planning & Analysis Cell, Ministry of Petroleum & Natural Gas.
- . 2023b. Monthly Report on Natural Gas Production, Availability and Consumption – September 2023. New Delhi: Petroleum Planning & Analysis Cell, Ministry of Petroleum & Natural Gas. https://ppac.gov.in/uploads/rep_studies/1698235812_Monthly%20Gas%20Report-SEP%202023%20WebV.pdf.

- . n.d. “Central Excise and Customs Tariff Table – Non-GST Goods.” Accessed 5 July 2024. <https://ppac.gov.in/prices/central-excise-and-customs-rate-on-major-petroleum-products>.
- Ritchie, Hannah, Max Roser, and Pablo Rosado. 2022. “Fertilizers”. *Our World in Data*. Accessed 5 July 2024. <https://ourworldindata.org/fertilizers>.
- Singh, Bijay. 2023. “Nitrogen Use Efficiency in Crop Production in India: Trends, Issues, and Challenges.” *Agricultural Research* 12:32–44.
- Smith, Erin, Jennifer Morris, Haroon Kheshgi, Gary Teletzke, Howard Herzog, and Sergey Paltsev. 2021. “The Cost of CO₂ Transport and Storage in Global Integrated Assessment Modeling.” *International Journal of Greenhouse Gas Control* 109: 103367. <https://doi.org/10.1016/j.ijggc.2021.103367>.
- The Commonwealth Scientific and Industrial Research Organisation. 2022. “Project Haber”. The Commonwealth Scientific and Industrial Research Organisation. Accessed December 8, 2023. <https://research.csiro.au/hyresource/project-haber/>.
- . 2023. “Yuri Renewable Hydrogen to Ammonia Project”. The Commonwealth Scientific and Industrial Research Organisation. Accessed December 8, 2023. <https://research.csiro.au/hyresource/yuri-renewable-hydrogen-to-ammonia-project/>.
- The Fertiliser Association of India. 2022. *Annual Review of Fertiliser Production and Consumption 2021-22 – Executive Summary*. New Delhi: The Fertiliser Association of India. <https://www.faidelhi.org/general/AR-Ex-Sum.pdf>.
- The Fertiliser Association of India. 2023a. *Annual Report 2022–23*. New Delhi: The Fertiliser Association of India.
- The Fertiliser Association of India. 2023b. *Fertiliser Statistics 2022-23 – 68th Edition*. New Delhi: The Fertiliser Association of India.
- US Department of Agriculture. n.d. “Rice: Trade.” Accessed 7 February 2024. <https://www.ers.usda.gov/topics/crops/rice/trade/>.

The authors



Karan Kothadiya

karan.kothadiya@ceew.in

Karan is a Programme Associate at The Council in the Industrial Sustainability team. He studies decarbonisation pathways that find applications in hard-to-abate sectors of the economy. His primary areas of interest are clean hydrogen technologies and technological carbon capture and storage. Before joining The Council, Karan worked as a management consultant. Karan graduated from IIT Bombay with a dual degree (BTech + MTech) in Metallurgical Engineering and Materials Science.



Hemant Mallya

hemant.mallya@ceew.in

Hemant is a Fellow at CEEW and leads the Industrial Sustainability team. He leads the team in four broad areas – energy transition and industrial decarbonisation; carbon management; circular economy and innovation; and R&D. He has nearly 20 years of experience in energy, environment, and climate change–related issues. He holds a dual M.S. in Industrial Engineering and Operations Research from Pennsylvania State University, USA, and a B.E. from Mumbai University.



Deepak Yadav

deepak.yadav@ceew.in | X @deepakyadav_25

Deepak is a Programme Lead at CEEW and has expertise in green hydrogen, carbon capture and utilisation, and the steel sector. He has over eight years of experience in renewable energy, alternative fuels, and industrial sustainability. He is also a BEE-certified energy auditor and has published his research in leading international journals and conferences. Deepak holds a doctorate and a master's degree from the Department of Energy Science and Engineering, IIT Bombay.



H₂
HYDROGEN

COUNCIL ON ENERGY, ENVIRONMENT AND WATER (CEEW)

ISID Campus, 4 Vasant Kunj Institutional Area
New Delhi - 110070, India

T: +91 11 4073 3300

info@ceew.in | ceew.in | [X @CEEWIndia](https://twitter.com/CEEWIndia) | [Instagram ceewIndia](https://www.instagram.com/ceewIndia)



Scan to download the study